



Contribution ID: 15

Type: **not specified**

## Heavy sterile Neutrinos from B decays and new QCD corrections to their semi-hadronic decay rates

*Tuesday 18 June 2024 18:00 (20 minutes)*

In modern experiments on flavour physics it is possible to search for the decays of  $B$ 's,  $D$ 's, or  $\tau$ 's into final states with heavy neutrinos  $N$  (a.k.a. heavy neutral leptons). I present a common study of theorists and experimentalists from Belle II on constraints on  $B \rightarrow D^* \ell N$ . Next I discuss the status of the theory predictions of the various  $N$  decay rates. In scenarios in which  $N$  interacts with SM particles only through sterile-active neutrino mixing, the dependence of the lifetime on the relevant mixing angles is important to determine whether  $N$  decays in the detector or outside. To calculate the inclusive decay rate into semi-hadronic final states reliably one needs to include radiative QCD corrections. I present analytic results for the QCD-corrected decay rates and discuss their phenomenological impact.

**Primary author:** KRETZ, Tim (Karlsruher Institut für Technologie (KIT - TTP))

**Co-authors:** Mr BERNLOCHNER, Florian (Universität Bonn); FEDELE, Marco (IFIC); Mr PRIM, Markus (Universität Bonn); NIERSTE, Ulrich (KIT)

**Presenter:** KRETZ, Tim (Karlsruher Institut für Technologie (KIT - TTP))

**Session Classification:** Day 1